

Bedford Hospital NHS Trust

East of England A03

The Bedford Hospital NHS Trust incorporates Bedford Hospital <https://www.bedfordhospital.nhs.uk/>
<<https://www.bedfordhospital.nhs.uk/>>

Patient inclusion and data sources

The majority of these results are for patients in England and Wales diagnosed with bowel cancer 1 Apr 2017 – 31 Mar 2018. The exceptions are for adjuvant chemotherapy and the four trust outcomes: 30-day unplanned readmission, 90-day mortality, 2-year mortality and 18-month stoma rate. 30-day unplanned readmission and 90-day mortality are further restricted to patients undergoing surgery up to 31 October 2018 for patients treated in England, and up to 28 February 2018 for patients treated in Wales. Two-year mortality estimates include patients undergoing a major resection between 1 April 2015 and 31 March 2016. 18-month stoma rates include rectal cancer patients undergoing a major resection between 1 April 2014 and 31 March 2017. Adjuvant chemotherapy estimates include patients undergoing major resection for pathological stage III colon cancer between 01 June 2014 and 31 August 2017 in England only.

The Audit dataset is linked to Hospital Episode Statistics (HES) and Patient Episode Database for Wales (PEDW) at the patient level to obtain further information on patient care and follow-up such as stoma reversal and emergency readmissions in England/Wales. The dataset also links to Office of National Statistics records. These provide information about date, place and cause of death.

NBOCA also links to the National Radiotherapy Dataset (RTDS) for information on radiotherapy treatment in England, and the Systemic Anti-Cancer Therapy database (SACT) for information on chemotherapy treatment in England.

Data Quality

Case ascertainment

Number of patients reported to the Audit as a percentage of the number of patients admitted for the first time to the trust/network with a diagnosis of bowel cancer within the audit period according to HES. This can be larger than 100 if more patients are reported to the Audit than identified in HES.

Data completeness

% of relevant patient group with useable value of data item.

ASA grade

% of patients recorded as having a major resection who have a particular ASA grade recorded, or no ASA recorded.

Management of all patients

Potentially curative patients

Patients electively diagnosed with colon cancer with pre-treatment staging of T2-T4 and no evidence of metastatic disease.

Management of patients having major resection

At least 12 lymph nodes excised (%)

% of colon cancer patients undergoing major resection with a recorded number of lymph nodes, who had at least 12 lymph nodes examined.

Adjuvant chemotherapy

% of adjuvant chemotherapy in patients undergoing major resection for pathological stage III colon cancer between 01 June 2014 and 31 August 2017 in England only. These are unadjusted chemotherapy rates.

Rectal cancer patients

Neo-adjuvant therapy (%)

% of rectal cancer patients having short- or long-course radiotherapy prior to major resection.

Circumferential resection margin: Negative (%)

% of rectal cancer patients undergoing major resection whose CRM is reported to be negative.

Circumferential resection margin: Recorded (%)

% of rectal cancer patients undergoing a major resection who have a recorded CRM.

APER rate (%)

% of patients with rectal cancer undergoing abdominoperineal excision of the rectum and therefore having a permanent stoma.

Compare trust outcomes

Funnel plots display trust risk-adjusted outcomes for 90-day mortality, 30-day unplanned readmission, 2-year mortality and, for rectal cancer patients, 18-month stoma rate. The funnel regions represent the 95 per cent limit and the 99.8 per cent limit for trusts compared to the national average. Those trusts with results outside the outer (99.8 per cent) limit are considered potential outliers.

Risk adjustment is performed using the seven items listed under Data Quality as well as mode of admission (elective/emergency) and number of co-morbidities according to HES/PEDW, and an interaction between age and distant metastases. Missing values are imputed using Multiple Imputation. The model for two-year mortality additionally includes interactions between follow-up time (0-3 months after surgery vs. 3-24 months after surgery) and all of the risk factors.

A stoma is considered to be reversed if a HES/PEDW record with relevant code is identified within 18 months of the initial surgical procedure.

See [FAQs <https://www.nboca.org.uk/about/faq/>](https://www.nboca.org.uk/about/faq/) for more details.

Data Quality

All Patients:	Trust	Network	National
Number of patients in Audit	158	3626	31676
Case ascertainment (%)	119	101	95
Data completeness of:			
– Pre-treatment TNM (%)	91	71	80

All Patients:	Trust	Network	National
– Performance status (%)	100	89	86

Patients having major resection:	Trust	Network	National
Number of patients in Audit	86	2090	19218
ASA grade 1 (%)	16	13	11
ASA grade 2 (%)	63	52	53
ASA grade 3 (%)	17	30	28
ASA grade 4+ (%)	N/A	3	3
ASA grade not recorded (%)	3	3	5
Data completeness of:			
7 Audit items for risk-adjustment (%)	83	83	86

Key:

- > 80%
- 50 - 80%
- < 50%

Management of all patients

All Patients:	Trust	Network	National
Number of patients in Audit	158	3626	31676
Seen by Clinical Nurse Specialist (%)	84	86	87

All patients deemed potentially curative	Trust	Network	National
Number of potentially curative patients	20	756	7416
Undergoing major resection (%)	90	83	86

Management of patients having major resection

Patients having major resection:	Trust	Network	National
Number of patients in Audit	86	2090	19218
Distant metastases (%)	5	8	8
Urgent or emergency surgery (%)	8	14	15
At least 12 lymph nodes excised (%)	77	79	84
Laparoscopic surgery attempted (%)	81	75	69

Patients having major resection:	Trust	Network	National
Risk-adjusted length of stay > 5 days (%)	66	57	62


Patients having major resection for stage III colon cancer:	Trust	Network	National
Number of patients in audit	64	1337	11837
Adjuvant chemotherapy (%)	59	55	62

Rectal cancer patients

Patients having major resection:	Trust	Network	National
Number of patients in Audit	25	533	4588
Neoadjuvant therapy (%)	30	25	33
Circumferential resection margin: Recorded (%)	84	88	90
Circumferential resection margin: Negative (%)	80	80	80
Rectal volume	N/A	N/A	N/A

Patients in APER/Hartmanns estimate:	Trust	Network	National
Number of patients in APER/Hartmanns estimate	N/A	N/A	N/A


Patients in APER/Hartmanns estimate:	Trust	Network	National
APER/Hartmanns (%)	N/A	N/A	N/A



Trust	Number	Adjusted	Observed
Bedford Hospital NHS Trust	78	7.6%	7.7%
Other trusts within the region: East of England			
Basildon and Thurrock University Hospitals NHS Foundation Trust	72	9.5%	9.7%
Cambridge University Hospitals NHS Foundation Trust	191	6.6%	6.8%

Trust	Number	Adjusted	Observed
East Suffolk and North Essex NHS Foundation Trust - ColchesterHospital	103	7.8%	7.8%
East Suffolk and North Essex NHS Foundation Trust - Ipswich Hospital	120	8.1%	7.5%
James Paget University Hospitals NHS Foundation Trust	87	9.5%	9.2%
Luton and Dunstable University Hospital NHS Foundation Trust	104	8.7%	8.7%
Mid Essex Hospital Services NHS Trust	77	5.7%	5.2%
Milton Keynes Hospital NHS Foundation Trust	92	9.6%	9.8%
Norfolk and Norwich University Hospitals NHS Foundation Trust	217	10.6%	10.1%
North West Anglia NHS Foundation Trust	212	8.2%	8%
Southend University Hospital NHS Foundation Trust	108	11%	11.1%
West Hertfordshire Hospitals NHS Trust	142	8.9%	9.2%
West Suffolk NHS Foundation Trust	92	14.3%	13%


90 day mortality



Trust	Number	Adjusted	Observed
Bedford Hospital NHS Trust	81	2.1%	1.2%
Other trusts within the region: East of England			
Basildon and Thurrock University Hospitals NHS Foundation Trust	75	3.1%	2.7%
Cambridge University Hospitals NHS Foundation Trust	198	1.5%	1.5%


Trust	Number	Adjusted	Observed
East Suffolk and North Essex NHS Foundation Trust - ColchesterHospital	106	3.3%	2.8%
East Suffolk and North Essex NHS Foundation Trust - Ipswich Hospital	127	1.9%	2.4%
James Paget University Hospitals NHS Foundation Trust	90	2.5%	3.3%
Luton and Dunstable University Hospital NHS Foundation Trust	113	4.7%	7.1%
Mid Essex Hospital Services NHS Trust	80	6%	2.5%
Milton Keynes Hospital NHS Foundation Trust	93	3%	2.2%
Norfolk and Norwich University Hospitals NHS Foundation Trust	231	3%	2.6%
North West Anglia NHS Foundation Trust	218	1%	0.9%
Southend University Hospital NHS Foundation Trust	113	2.6%	4.4%
The Princess Alexandra Hospital NHS Trust	27	2.9%	3.7%
West Hertfordshire Hospitals NHS Trust	146	3.7%	3.4%
West Suffolk NHS Foundation Trust	96	4.8%	4.2%

2 year mortality rate



Trust	Number	Adjusted	Observed
Bedford Hospital NHS Trust	73	17%	13.5%
Other trusts within the region: East of England			
Basildon and Thurrock University Hospitals NHS Foundation Trust	99	21.5%	22.4%
Cambridge University Hospitals NHS Foundation Trust	211	10.9%	15.7%

Trust	Number	Adjusted	Observed
East Suffolk and North Essex NHS Foundation Trust - ColchesterHospital	128	23.6%	15.3%
East Suffolk and North Essex NHS Foundation Trust - Ipswich Hospital	145	30.8%	27%
James Paget University Hospitals NHS Foundation Trust	86	15.7%	15.1%
Luton and Dunstable University Hospital NHS Foundation Trust	94	28.5%	25.7%
Milton Keynes Hospital NHS Foundation Trust	96	24%	23.9%
Norfolk and Norwich University Hospitals NHS Foundation Trust	245	16.2%	15.2%
North West Anglia NHS Foundation Trust	218	18%	19.2%
Southend University Hospital NHS Foundation Trust	94	13.1%	12.5%
The Princess Alexandra Hospital NHS Trust	45	13%	14.1%
West Hertfordshire Hospitals NHS Trust	126	18.4%	15.5%
West Suffolk NHS Foundation Trust	102	23.6%	25.9%



Trust	Number	Adjusted	Observed
Bedford Hospital NHS Trust	60	62.1%	61.7%
Other trusts within the region: East of England			
Basildon and Thurrock University Hospitals NHS Foundation Trust	91	61.3%	62.6%
Cambridge University Hospitals NHS Foundation Trust	141	48.2%	49.7%

Trust	Number	Adjusted	Observed
East Suffolk and North Essex NHS Foundation Trust - ColchesterHospital	104	44.4%	44.2%
East Suffolk and North Essex NHS Foundation Trust - Ipswich Hospital	85	23.9%	24.7%
James Paget University Hospitals NHS Foundation Trust	57	51.7%	57.9%
Luton and Dunstable University Hospital NHS Foundation Trust	80	62.9%	63.8%
Mid Essex Hospital Services NHS Trust	44	36.8%	36.4%
Milton Keynes Hospital NHS Foundation Trust	82	55.8%	54.9%
Norfolk and Norwich University Hospitals NHS Foundation Trust	201	38.6%	36.8%
North West Anglia NHS Foundation Trust	133	51.8%	51.9%
Southend University Hospital NHS Foundation Trust	72	47.8%	47.2%
The Princess Alexandra Hospital NHS Trust	33	38.5%	39.4%
West Hertfordshire Hospitals NHS Trust	70	42.6%	42.9%
West Suffolk NHS Foundation Trust	61	34.9%	36.1%